



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/927,439

08/13/2001

John Mellert

033337/0131

4183

21398

7590

05/05/2005

CORVIS CORPORATION
INTELLECTUAL PROPERTY DEPARTMENT
7015 ALBERT EINSTEIN DRIVE
COLUMBIA, MD 210469400

EXAMINER

TRAN, DZUNG D

ART UNIT

PAPER NUMBER

2633

DATE MAILED: 05/05/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/927,439

Applicant(s)

MELLERT ET AL.

Examiner

Dzung D. Tran

Art Unit

2633

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 November 2004.
2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-33 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 1-33 is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____.
5) ☐ Notice of Informal Patent Application (PTO-152)
6) ☐ Other: _____.

DETAILED ACTION

Specification

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-33 are rejected under 35 U.S.C. 102(b) as being anticipated by Sugiyama et al. US patent no. 5,883,735.

Regarding claim 1, Sugiyama discloses an optical amplifying repeater 11 (same as line unit), connected to at least a first optical fiber 12 (col. 4, line 28) and a second optical fiber 12', said line unit comprising:

a first line assembly including: a first supervisory unit 23 (same as a first monitoring receiver) , coupled to said first optical fiber 12 (col. 4, line 28), for receiving first command signal (same as first control information) associated with a first optical signal (col. 3, line 61) transmitted over said first optical fiber 12 and at least one first pump laser 33 (col. 4, line 42), coupled to said first optical fiber 12 (figure 14);

a second line assembly including: a second supervisory unit 23' (same as a second monitoring receiver) coupled to said second optical fiber 12' and at least one second pump laser 33', coupled to second optical fiber 12' and wherein said first and second supervisory unit 23, 23' (same as monitoring receivers) are connected such that said first control information is sent from said first monitoring receiver to said

Art Unit: 2633

second monitoring receiver (figure 14 clearly shown first supervisory unit 23 connected to second supervisory unit 23' via. Loop-back cable LB).

Regarding claim 17, Sugiyama discloses an optical communication system comprising: a plurality of line units 11 of figure 13, each connected to a first optical fiber 12 and a second optical fiber 12' which carry first and second optical signals, respectively, each said line unit 11 including:

a first monitoring receiver 23 of figure 14, coupled to said first optical fiber 12 of figure 14, for receiving first control information associated with said first optical signal; a second monitoring receiver 23' of figure 14, coupled to said second optical fiber 12' of figure 14, for receiving second control information associated with said second optical signal, and an interconnect (e.g., a bidirectional loop-back cable LB is connected between the first and second supervisory unit 23, 23') for passing said first control information from said first monitoring receiver 23 to said second monitoring receiver 23' and said second control information from said second monitoring receiver 23' to said first monitoring receiver 23; and

two terminals (end office A, end office B), one at either end of said first and second optical fibers 12 and 12', at least one of which transmits said first and second control information (CM).

Regarding claim 2, Sugiyama further discloses in col. 3, lines 59-62, the command signal (same as control information) is superimposed onto the optical carrier signal (same as modulated onto an envelope of said optical signal).

Art Unit: 2633

Regarding claims 3 and 20, Sugiyama further discloses control information is a command to adjust a bias current of one of said at least one first and said at least one second pump lasers (col. 10, lines 30-55).

Regarding claims 4, 5, 21 and 22, Sugiyama further discloses control information is a command to measure a power of one of the first and second pump lasers 33 and 33' and a power of an optical signal transmitted over one of said first and second optical fibers 12 and 12' (col. 10, lines 30-67).

Regarding claims 6 and 23, Sugiyama further discloses first supervisory unit (same as a first monitoring receiver) comprises: a first demodulating unit 382 of figure 11 (col. 10, lines 35-36) for demodulating the first command signal (same as first control information signal) from the first optical signal (from optical line 12) and a first control unit 23 for operating on said demodulated first control information.

Regarding claims 7 and 24, Sugiyama discloses first control unit 23 is connected to first pump laser 33 and adjusts a bias current associated with first pump lasers 33 based on said demodulated first control information (col. 10, lines 30-55).

Regarding claims 8 and 25, Sugiyama discloses first control unit 23 is connected to first pump laser 33 and monitors a power associated with first pump laser 33 based on demodulated first control information (col. 10, lines 30-67).

Regarding claims 9 and 26, Sugiyama discloses second control unit 23' for operating on said demodulated first control information.

Regarding claims 10 and 27, Sugiyama discloses second control unit 23' is connected to second pump laser 33' and adjusts a bias current associated with second

Art Unit: 2633

pump lasers 33' based on said demodulated first control information (col. 10, lines 30-55).

Regarding claims 11 and 28, Sugiyama discloses second control unit 23' is connected to second pump laser 33' and monitors a power associated with second pump laser 33' based on demodulated first control information (col. 10, lines 30-67).

Regarding claims 12 and 29, Sugiyama further discloses second supervisory unit (same as a first monitoring receiver) comprises: a second demodulating unit 382 of figure 11 (col. 10, lines 35-36) for demodulating the second command signal (same as first control information signal) from the second optical signal (from optical line 12) and a first control unit 23' for operating on said demodulated second control information.

Regarding claims 13 and 30, figure 14 of Sugiyama clearly shown second supervisory unit 23' connected to first supervisory unit 23. It is inherently that second supervisory unit 23' sends second control information to the first supervisory unit 23.

Regarding claims 14 and 31, Sugiyama further discloses a first secondary control Unit 23', connected to said first control unit 23, said second control unit 23', and said at least one first pump laser 35, for controlling said at least one first pump laser 35 in accordance with said demodulated aid first control unit is malfunctioning (col. 10, lines 30-41).

Regarding claims 15 and 32, Sugiyama further discloses a second secondary control unit 23', connected to said first control unit 23, said second control unit 23', and said at least one second pump laser 35', for controlling said at least one first pump laser 35 in accordance with said demodulated first control information when said

Art Unit: 2633

first control unit is malfunctioning(col. 10, lines 30-41).

Regarding claims 16 and 33, Sugiyama further discloses an address associated with said line unit 11, an operation code associated with an operation to be performed (col. 10, lines 43-46).

Regarding claims 18 and 19, Sugiyama discloses wherein said line unit 11 includes at least two sets of pump lasers 33, 33', one each associated with said first and second monitoring receivers 23, 23' and wherein said first and second control information (CM, CM') is modulated onto an envelope of said first and second optical signals, respectively (col. 3, lines 54-57).

Response to Arguments

3. Applicant's arguments filed on 11/24/2004 have been fully considered but they are not persuasive.

A Rejection of claims 1-33 under *USC § 102(b)* as being anticipated over *Sugiyama et al. U.S. patent no. 5,883,735*.

Applicant argues that Sugiyama reference fails to teach that "the first and second monitoring receivers are connected such that said first control information is sent from said first monitoring receiver to said second monitoring receiver" in claim 1 and "an interconnect for passing said first control information from said first monitoring receiver to said second monitoring receiver and said second control information from said second monitoring receiver to said first monitoring receiver" in claim 17.

Art Unit: 2633

However Sugiyama clearly discloses in figure 14, the first and second supervisory unit 23, 23' (same as monitoring receivers) are connected such that said first control information is sent from said first monitoring receiver to said second monitoring receiver (figure 14 clearly shown first supervisory unit 23 connected to second supervisory unit 23' via. Loop-back cable LB) (claim 1) and an interconnect (e.g., a bidirectional loop-back cable LB is connected between the first and second supervisory unit 23, 23') for passing said first control information from said first monitoring receiver 23 to said second monitoring receiver 23' and said second control information from said second monitoring receiver 23' to said first monitoring receiver 23 (claim 17).

Conclusion

4. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2633

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dzung D Tran whose telephone number is (571) 272-3025. The examiner can normally be reached on 9:00 AM - 7:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jason Chan can be reached on (571) 272-3022. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Dzung Tran
04/29/2005


M. R. SEDIGHIAN
PRIMARY EXAMINER